Safe Strength

Tom Seabourne, Ph.D.

 "Scientific research cannot support the novel systems that pop up in magazines and on the Internet at an astounding rate. You will do well to ignore fads and follow well-tested approaches validated both by research and in competition." – Tudor Bompa

TRADITION

 1960s Universal and Nautilus resistance machines to isolate muscles.

 Isolation of body parts, high training volumes, moderate to high intensity.

AESTHETICS

 The aesthetics of bodybuilding has not optimized performance for coaches, athletes and individuals looking for better function.

FUNCTION

Train movements not muscles.

 Mimic the movement one is trying to improve - enhances coordination, rhythm and timing of a movement, provides greater transfer from the training to the target activity.

COSMETIC VS. FUNCTION

- Laboratory movement vs. Real move
- Artificial moves
- Rigid structure
- Isolating muscles
- No gravity
- No proprio
- Link-like

- vs. Natural
- vs. Flexible
- vs. Integration
- vs. Gravity
- vs. Proprio
- vs. Chain-like

PERIODIZATION

Structuring the client's program:

anatomical adaptation,

hypertrophy,

maximum strength

muscle definition

transition (rest)

ONE REP

- Load
- Stretch
- Absorb
- Decelerate
- Eccentric
- Pronate

Unload Shorten Propel Accelerate Concentric Supinate

Over Time, Progress from:

• Easy to Hard

• Simple to Complex

• Body weight before External Weight

• Stable before Unstable

DURING THE WORKOUT

Rotational before Linear

• Integrated movement patterns before basic

• Internal before External

• Power before Endurance

- I. Safe Strength training requires integrated, multi-planar movement involving acceleration, deceleration, and stabilization.
- PICK UP CHAIR NO ONE WATCHING

OVERLOAD PRINCIPLE, GOLGI
 TENDON ORGAN

- Properly accomplished, resistance training produces concentric force, isometric stabilization, and eccentric deceleration force in all three planes
- CONCENTRIC, ACTIN/MYOSIN
- ISOMETRIC POSTURAL SWAY
- ECCENTRIC, LENGTHENING

Tools

- b. Strength training is not an isolated event in a single plane of motion
- BODY WEIGHT, TUBING, AIREX MATS, FOAM ROLLS, BODY BLADE, CABLES, STABILITY BALLS, MEDICINE BALLS, BANDS, BODY WEIGHT, FREE WEIGHT, DYNA DISCS, DUMBBELLS, FOCUS MITTS

BREATHING

 "The Valsalva maneuver associated with breath-holding plays a vital role in increasing the intra-abdominal pressure to support and stabilize the lumbar spine during heavy lifting." - Mel Siff

INTER- INTRAMUSCULAR COORDINATION

- c. Neuromuscular efficiency is the ability of all muscles in the kinetic chain (agonists, antagonists, synergists, stabilizers.
- **TIMING SERAPE EFFECT**
- THROWING A BALL, SERVING A BALL
- TENNIS ELBOW? MUSCLES WEAK
- SHOULDER PROBLEMS, ABS

FLEXIBLE STRENGTH

- d. All muscles operate within a muscle action spectrum
- STEP OFF CURB, HAMSTRING
- INCREASE AI STRENGTH TO
 INCREASE ROM
- INCREASE ROM WITHOUT STRENGTH = INJURY

OPTIMAL RANGE OF MOTION

- Length-tension relationship-length at which muscle produces greatest force.
- Optimal muscle length at which actin and myosin filaments in the sarcomere have the greatest degree of overlap
- 1.2 X Resting length: Myosin to make maximal amount of connections with actin.

BALANCE AND IMBALANCE

- e. You may be very strong and flexible, but if the nervous system isn't activating all of your muscles correctly - imbalance
- ROUND SHOULDERS, PELVIC TILT, "MUSCLE HEAD" - NO TRANS-VERSE, FRONTAL PLANE MOVE
- STRONG MUSCLES-STRONGER, WEAK MUSCLES-ATROPHY

PREVENTING INJURY

- 1. FOOT PROBLEM
- 2. GLUTEUS GETS WEAK...
- 3. HIP FLEXOR HYPERTONIC
- OVERUSE INJURIES MAY BE PROBLEM OTHER THAN SPECIFIC AREA; JOINTABOVE OR BELOW INJURY SITE.

BALANCE OF STRENGTH AND FLEXIBILITY

- OLDER ADULTS SAGITTAL, LOSE FRONTAL AND TRANSVERSE; DOC SAYS, "DON'T TWIST".
- TIGHT MUSCLES CAN'T WORK IN ALL PLANES, INHIBIT ANTAGONIST.
- ABS WEAK, BACK MUST WORK HARDER.

STRETCH OR STRENGTHEN?

- INCREASE ABS STRENGTH = INCREASE ROM OF SIT AND REACH
- DON'T STRETCH PRIOR TO ACTIVITY = LESS CROSS BRIDGING
- KNEE "GIVES OUT" BODY RECOGNIZES NOT GOOD POSITION



• ABS DECELERATE MOTION IN THREE PLANES, THEN ACCELERATE

• ABS DECELERATE SPINAL EX.

• HIP EXTENSION - ABS - THROW

POSTURE

 Screening fundamental movements will demonstrate significant limitations and asymmetries, and will also help to narrow the focus of problem areas within the human body.

POSTURE

• Correction of **posture takes precedence** over aesthetic, gender driven exercises such as men wanting to do bench press and biceps curls, and women over indulging in abductor and adductor exercises.



• SQUAT -

• High arch: knee goes varus (lateral)

• Flat foot: knee goes valgus (medial)

ASSESSMENTS

- Muscle imbalance findings must influence exercise selection. The alternative is chronic, re-occurring muscle and joint injury
- The sport or activity being performed will serve as the foundation from which your biomechanical assessment determines exercises selected

GOALS

 Client goals will influence exercise selection, BUT SHOULD NOT BE THE SOLE DRIVING FORCE BEHIND THE SELECTION PROCESS

• A CLIENT'S GOALS MAY NOT BE THE BEST THING FOR THEIR MUSCULOSKELETAL HEALTH

RE-INJURY

• Orthopedic injury will certainly hamper exercise selection. The client presenting incomplete recovery from injury can be very easily **re-injured**.

• THIS IS THE GREATEST PREDICTOR OF INJURY



• f. Stabilization is as important as strength.

 BODY SENSES STABILITY, IT RELAXES (E.G. STAND ON ICE)

STRENGTH AND STABILITY

• WEAK MUSCLES = INSTABILITY, STRONG MUSCLES OVERWORKED = PAIN

• STABLE ROM - BE SURE YOU HAVE THE STRENGTH

COMPENSATION

- II. KINETIC CHAIN CONCEPTS
- a. If one muscle is weak (gluteus maximus) then other muscles (erector spinae and hamstrings) compensate synergistic dominance.
- YOU WILL GET TO REFRIGERATOR
- WE ARE COMPENSATION MASTERS

HOLISTIC APPROACH TO TRAINING

- 'ITIS' HAS A MUSCULAR ROOT (EG PATELLAR TENDINITIS)
- MUSCLES ANKLE SPRAIN
- GLUTEUS MEDIUS WEAK, GLUTEUS MAXIMUS IS OVERWORKED, TONIC.
- PAIN NOT ALWAYS WHERE WE THINK IT IS, KNEE PROBLEM FROM FOOT

STRETCH TIGHT MUSCLES

 one muscle is tight (psoas) than the functional antagonists (gluteus maximus, transverse abdominus, internal oblique, multifidus, and deep erector spinae) demonstrate decreased neural drive and delayed onset.

STRETCH OR STRENGTHEN?

PLANTAR FASCITIS LEADS TO
 OVERWORKED HIP FLEXOR

TRAPS TIGHT STRETCH?
 STRENGTHEN SERRATUS ELEVATE
 SCAPULA

PROGRESSIVE OVERLOAD

 Proper exercise progression is important when designing a safe strength-training program. The integrated continuum utilizes the following concepts for progression-

SMART STAGES

- Slow to fast
- Simple to complex
- Static to dynamic
- Correct execution to increased intensity
- Body weight before external weight

STRENGTHEN THE RIGHT MUSCLES

- PREPARE THE BODY FOR WHAT WE ASK IT TO DO
- PROGRESSIVE EXERCISE CAN
 MAKE US DYSFUNCTIONAL
- CHIROPRACTOR WEEKLY BECAUSE
 MUSCLES AREN'T HOLDING

FLEXIBLE STRENGTH

• STRENGTH + FLEXIBILITY = MARTIAL ARTIST; DANCERS INJURED

• IF TIGHT BICEPS, WEAK TRICEPS

TWEAKING THE PROGRAM

PAIRED EXERCISE -SUPERSETS

- PERIODIZATION PRINCIPLES
- DEVELOP A FOUNDATION FIRST
- ADEQUATE REST INTERVALS

FIND THE RIGHT ANGLE

 48-72 HOURS REST BETWEEN SESSIONS

- d. Simply stated, no muscle works alone to produce movement.
- ALTER ROM ON AN EXERCISE TO STAY BELOW PAIN? DUMBBELLS

BALANCE THE BODY

BODY STAYS IN STRONG ROM

 STRONG MUSCLES STAY STRONG, WEAK STAY WEAK

• 2 MUSCLES DOING WORK OF 3 = PAIN, ALL MUSCLES

ANTAGONIST MUSCLE GROUPS

- e. In order to properly accelerate and decelerate joint motion in all directions it is necessary to have opposing prime movers or muscles that act opposite of each other.
- TIB ANTERIOR/GASTROC
- QUAD/HAM

AGONIST/ANTAGONIST

- ABS/QL
- CHEST/BACK
- ROTATOR CUFF EXERCISES, IF ONE IS WEAK AND ONE IS TOO STRONG?
- "I NEED TO STRETCH HAMS" NO YOU NEED TO STRENGTHEN QUAD

LINK OR CHAIN?

- f. Consider your client's body a power chain.
- OKAY TO TRAIN ISOLATED BODY
 PARTS
- CAN THE MUSCLE CONTRACT
 NOW!

POWER TRAINING

 III. ECCENTRIC PLYO POWER, IS IT SAFE?

a. The speed in which the eccentric force occurs following a concentric force is also important to athletic performance.

PLYOPUSHUPS, PRE-STRETCH TO 1.2 x RESTING LENGTH, CABLE

DEVELOP GOOD HABITS

- b. A stronger athlete is a better athlete.
- DEVELOP A MOTOR PROGRAM

• 1000'S OF REPS

SPECIFICITY OF TRAINING

- IV. GET READY TO RUMBLE
- Most athletes have a hard time understanding sports specific training.
- WHERE IS THE BODY
 VULNERABLE? PROTECT IT
- MUSCULAR ENDURANCE SPECIFIC – PIANIST CAN'T RUN A MILE

THE REAL WORLD

- BAD ALIGNMENT CAUSES PAIN (POSTURE)
- "DON'T LET KNEE GO PAST BIG TOE?" –WALKING DOWN STAIRS?
 - a. Balance is a very important part of your agility.
- PROGRESS FROM DAY 1 BALANCE DRILLS

TO WEAR SHOES OR NOT

 Modern running shoes reduce sensory feedback, apparently without diminishing injury-inducing impact–a process Robbins and Gouw (1991) described as the "perceptual illusion" of athletic footwear. A resulting

ARE SHOES GOOD OR BAD?

 "Once the natural foot structures are weakened by long-term footwear use, people have to rely on the external support of the footwear, but the support does not match that provided by a well functioning foot" -Yessis

TO BRACE OR NOT

• WEIGHT BELTS?

• KNEE BRACES?

• ANKLE BRACES?

• **ORTHOTICS**?

EXERCISE FOR PERFORMANCE

 b. If you are leaning in one direction, your opponent will beat you in the other direction.

- REACTION TIME DRILLS
- ONE LEGGED CABLE EXERCISE

AGILITY

 c. Agility is the ability to change your body position or direction in a fast, fluid way.

SLIP A PUNCH

DEFENSIVE SIDE KICK

ACCELERATION

 – d. Acceleration is the ability to increase speed quickly.

- RACKET HEAD SPEED

- SHUFFLE DRILLS

Bench press - without preload?

DECELERATION

e. Rarely do you see athletes training deceleration.

SHORT STEPS FORWARD/BACK

STOP A PUNCH WITH FOCUS

NEURAL BRAIN POWER

• The best way to improve **muscle power is** to train with faster movements. There are several reasons for this difference, one of which is the brain. It seems that our brains organize fast and slow movements differently and may be evidence for neural adaptation.

STARTING METHODS

- Static Start.
- Unprestretched Static Start. Hands gripping the bar, body fixed in typical fairly upright starting position, lifter applies a well controlled, steady upward pulling force.
- Prestretch Static Start. Hands gripping bar, butt/hips raised, lifter slowly lowers butt, pretenses all relevant muscles and starts a well-controlled upward pull.

 Dive Start from Standing Position. Hands not on bar, lifter aims grip at bar and tries to pull the bar rapidly off the platform.

Dive Start from Crouching ("Get Set")
 Position. Hands on the bar, butt high, lifter dips the hips suddenly, strongly prestretches the quads, glutes etc and tries to pull the bar rapidly upwards.

- Rocking or Bouncing Start. Hands on the bar, the lifter powerfully 'bounces' the butt up and down for one or more repetitions in an attempt to strongly prestretch all muscles directly connected with the pull, such as the glutes, hamstrings and quadriceps. Russian research has shown that a quick double prestretching dip tends to give the best results, but that timing of the bounces is vital.

POWER SEQUENCE

 Jump squats/push throws are exercises that requires jumping/throwing (a pressing motion with a release of the resistance) with an external load (- i.e. medicine ball) of low to moderate intensity (10-40% of 1 RM), which will depend on the level of the client.

- The parts of Olympic lifts with the highest power outputs:
- 2nd pull bar moving from knees to chest–
- The jerk
- If power output is the main focus of your training then performing the **full version** of the Olympic lifts may **not be necessary**.

COMPLEX TRAINING

 Complex training is the combined use of a high intensity (85-100%) strength exercise (squat, bench, etc.) followed by a low intensity, high-speed exercise or a plyometric exercise. An example of complex training would be performing squats followed by jump squats.